




# Ruby. PHP

**David Majda**

[david@majda.cz](mailto:david@majda.cz)

EURUKO 2008, Prague

**Ruby.php = Ruby to PHP  
compiler**



# Why Compile Ruby to PHP?

---

- Hosting
- Master thesis topic
- Great way how to learn Ruby inside out :-)



# How Is It Done?

Ruby code


```
def hello(name)
    puts "Hello " + name
end

hello "David"
```

Ruby AST




Parsing



Compilation



Serialization



PHP code

```
<?php
include_once dirname(__FILE__) . "/../../../../thesis/runtime/src/r2p.php";
do {
    r2p_define_global_method('Hello', '_r2p_function_11', array(1, 1));
    function_r2p_main();
    global $r2p_main;
    $params = func_get_args();
    $r2p_self = r2p_method_enter($params, array('name'), array(), null, null);
    $r2p_tmp_8 = $r2p_self;
    $r2p_tmp_6 = r2p_call(r2p_string('Hello '), '+', r2p_local_var_get('name'));
    if (r2p_exception_needs_handling()) {
        return;
    };
    $r2p_tmp_9 = r2p_call($r2p_tmp_8, 'puts', $r2p_tmp_6);
    if (r2p_exception_needs_handling()) {
        return;
    };
    $r2p_tmp_10 = $r2p_tmp_9;
    r2p_method_leave();
    return $r2p_tmp_10;
};
r2p_call($r2p_self, 'Hello', r2p_string('David'));
if (r2p_exception_needs_handling()) {
    break;
}
} while (false);
if (r2p_exception_needs_handling()) {
    r2p_toplevel_exception_handler();
}
?>
```

PHP AST



# Project Status

---

- Under development
  - Incomplete
  - Unstable
  - Needs a lot polishing
- However...
  - Already supports most Ruby syntax
  - Implements basic functionality of core Ruby classes
    - Object, Module, Class, Fixnum, Bignum, Float, Array, Hash, Range,...



**Live demo**




# Future Development

---

- Finish the thesis (summer 2008)
- Open the code
- Implement, implement,  
implement,...
- ...finally: run Ruby on Rails

ARE THERE  
ANY QUESTIONS?



[www.dilbert.com](http://www.dilbert.com) scottadams@aol.com

[www.ruby-php.org](http://www.ruby-php.org)